

Product guide


Withsolution offers you with the most reliable, cost-effective, state-of-the-art, premium DVR systems. Our range of high performance surveillance systems provide you the security solutions you deserve

Wall Mount DVR, Stand Alone DVR

www.withsolution.com



Stand Alone DVR




WST series

Stand Alone DVR STANDALONE DVR THE STRONG

WST DVR is HD quality image, (D1-720X480) with H.264 codec, This user friendly DVR provide web Monitoring & remote program these are basically same format, The reason why it is easy to use and very convenient.

Additionally, it is provided Central Monitoring System which can be monitored up to 128Ch at the same time.

This DVR is not only compatible with Internet Browser & MAC but also support real time monitoring via Smart-phone based Android, Apple and Window mobile.



- Multi Tasking
- Up to 128 Channels available
- Supports Bookmark Feature
- Interactive Interface(Easy Tool Box)
- Panoramic Search
- Easy & Versatile Data Back-up
- Watermark Verification System (Watermark Checker)

Model		N series			
		410N	810N	1610N	
Video	Input	4	8	16	
	Output	1VGA (1280x1024) + 1BNC for CO-Monitor / 1VGA (1280x1024) + 1BNC for SPOT Monitor.			
Audio	Input	1 RCA	1 RCA	16 RCA	
	Output	1 RCA	1 RCA	2 RCA	
System	Internal HDD	Supports 1 SATA Device	Supports 1 SATA Device	Supports Max. 2 SATA Devices	
	Sensor In(NO, NC) Relay Out	N/A	Sensor-in x8, Relay-out x1	Sensor-in x16, Relay-out x2	
	Serial Interface	RS-485			
	USB	2 x USB2.0			
	Adaptor	Input 100-240V, Output 12V 3A	Input 100-240V, Output 12V 3A	Input 100-240V, Output 12V 6A	
Video Compression		H.264 ASP (Internet Transmission: H.264)			
Recording	Dual Stream Resolution (Pixel)	Main (Recording)	704 X 480, 704 X 240, 352 X 240 (NTSC) / 704 X 576, 704 X 288, 352 X 288 (PAL)		
		Sub (Recording)	352 x 240 (NTSC) / 352 x 288 (PAL)		
	Speed	NTSC	D1 120 fps(704 x 480) HD1 120 fps(704 x 240) CIF 120 fps(352 x 240)	D1 120 fps(704 x 480) HD1 240 fps(704 x 240) CIF 240 fps(352 x 240)	D1 120 fps(704 x 480) HD1 240 fps(704 x 240) CIF 480 fps(352 x 240)
		PAL	D1 100 fps(704 x 576) HD1 100 fps(704 x 288) CIF 100 fps(352 x 288)	D1 100 fps(704 x 480) HD1 200 fps(704 x 240) CIF 200 fps(352 x 240)	D1 100 fps(704 x 576) HD1 200 fps(704 x 288) CIF 400 fps(352 x 288)
Network	Network Interface		10/100 Ethernet		
	Application		Windows XP/VISTA/7(PC Client system)		
	Remote Software		Licensed Application Software, IE Browser		
	Account		1 Admin + 4 users		
Backup	Interface		USB 2.0 or SATA		
	Backup Device (Optional)		Network Backup / USB Flash Drive	Network Backup / USB Flash Drive	Network Backup / USB Flash Drive
Alarm	Motion Detection		Detected Frames: Unlimited / Channel		
			22 X 15 grid (NTSC) / 22 X 18 grid (PAL)		
	Internal Buzzer		Sensitivity : 10 levels for each channel		
			YES		
Alarm Hold Time		1 - 60 SEC			
Search (Event Criterion)		YES			

Withsolution offers you with the most reliable, cost-effective, state-of-the-art, premium DVR systems. Our range of high performance surveillance systems provide you the security solutions you deserve.

Awarded a Certificate You Can Trust



Business contact

Mr. Francisco Kim
 Chief Executive Officer
 E-mail : ws@withsolution.com
 Tel : +82-62-975-7373
 Fax : +82-62-975-7375
 Mobile : +82-10-4717-1358

Mr. June Song
 Marketing Assistant Manager
 E-mail : June@withsolution.com
 Tel : +82-62-975-7373
 Fax : +82-62-975-7375
 Mobile : +82-10-8870-0836

Withsolution, Inc.
 No 312, KETI, #1110-11, Oryong-dong, Buk-gu, Gwangju, Korea 500-480